

Truck Body Standard Specifications

- Steel frame 10 gauge
- 3" channel full length of body
- Rubber mounting strips
- 20' discharge auger
- 9"-10"-9" screw conveyor system
- Full hydraulic controls
- Hydraulic truck package
- Full length catwalk and ladder
- Mud flaps
- Rear bumper
- Full length sack deck
- DOT lights
- Drop gates or rack and pinion slide gates
- Riveted construction single piece aircraft quality aluminum
- 24' Discharge Auger

Truck Body Options

- Tractor wetline kit
- Choice of 37, 40, 44 or 49 cube height
- Front manual controls (raise & turn)
- Dual back-up lights
- Auxiliary engine
- Split compartment
- Extend discharge length
- Electronic cab controls (raise, turn & augers)
- LED lights
- Catwalk safety hand rails
- Chain couplings on augers
- 4 Piece auger system with true vertical
- Valve banks on left front fender
- Open top with wahpeton shur-lock tarp
- Standard 6" retriever W/doors in disc. - hydraulic turnaround
- Golden retriever W/hydraulic turn around
- Full length bag shelves
- Air ride suspension (HT300)
- 8 leaf springs
- 11R24.5 Goodyear tires
- Vacuum pick up system
- Extra auger saddle
- Front ladder
- Self contained
- Air-operated doors
- Bag shelf covers
- Imron paint
- Aluminum rims
- Spot lights
- Trailer safety lights
- Drop gate
- Slide gate





Truck Body Capacity

| Tank Length | Bins | Cube Capacity | Capacity 40 Lb Material | Cube Capacity | Capacity 40 Lb Material | Cube Capacity | Capacity 40 Lb Material | Cube Capacity | Capacity 40 Lb Material | Weight |
|-------------|------|---------------|-------------------------|---------------|-------------------------|---------------|-------------------------|---------------|-------------------------|--------|
| | | 37 | 37 | 40 | 40 | 44 | 44 | 49 | 49 | |
| 12 | 3 | 444 | 17760 | 480 | 19200 | 526 | 21120 | 588 | 23520 | 4000 |
| 14 | 3 | 518 | 20720 | 560 | 22400 | 616 | 24640 | 686 | 27440 | 4250 |
| 16 | 4 | 592 | 21904 | 640 | 25600 | 704 | 28160 | 784 | 31360 | 4650 |
| 18 | 4 | 666 | 26640 | 720 | 28800 | 792 | 31680 | 882 | 35280 | 4950 |
| 20 | 5 | 740 | 29600 | 800 | 32000 | 880 | 35200 | 980 | 39200 | 5750 |
| 22 | 5 | 814 | 32560 | 880 | 35200 | 968 | 38720 | 1078 | 43120 | 6000 |
| 24 | 6 | 888 | 35520 | 960 | 38400 | 1056 | 42240 | 1176 | 47040 | 10500 |

Semi-Trailer Body Capacity

| Tank Length | Bins | Cube Capacity | Capacity 40 Lb Material | Cube Capacity | Capacity 40 Lb Material | Cube Capacity | Capacity 40 Lb Material | Cube Capacity | Capacity 40 Lb Material | Weight |
|-------------|------|---------------|-------------------------|---------------|-------------------------|---------------|-------------------------|---------------|-------------------------|--------|
| | | 37 | 37 | 40 | 40 | 44 | 44 | 49 | 49 | |
| 32 | 8 | 1184 | 47360 | 1280 | 51200 | 1408 | 56320 | 1568 | 62270 | 12250 |
| 34 | 8 | 1258 | 50320 | 1360 | 54400 | 1496 | 59840 | 1666 | 66640 | 12250 |
| 36 | 9 | 1332 | 53280 | 1440 | 57600 | 1584 | 63360 | 1764 | 70560 | 13000 |
| 37 | 9 | 1369 | 54760 | 1480 | 59200 | 1628 | 65120 | 1813 | 72520 | 13200 |
| 38 | 9 | 1406 | 56240 | 1520 | 60800 | 1672 | 66880 | 1862 | 74480 | 13600 |
| 40 | 10 | 1480 | 59200 | 1600 | 64000 | 1760 | 70400 | 1960 | 78400 | 14000 |

Semi-Trailer Body Standard Specifications

- Binkley 2 speed landing gear
- Quick disconnect and lines on trailer
- Full length catwalk and rear ladder
- Front and rear sack decks
- DOT lights, reflectors and reflective tape
- Drop gates or rack pinion and slide gates
- Riveted construction single piece aircraft quality aluminum
- Steel frame 10 gauge
- Full hydraulic controls
- 3" channel on slide gates
- 5" channel on drop gates full length each side, fully reinforced
- 10 hole steel Budd wheels
- 11R22.5 Tires
- S-22 spicer, 16 1/2" x 7" with spring parking brake-auto slack adjusters

Semi-Trailer Body Options

- Choice of 37, 40, 44 or 49 cube height
- Front manual controls (raise & turn)
- Dual back-up lights
- Split compartment
- Extend discharge length
- Electronic cab controls (raise, turn & augers)
- LED lights
- Catwalk safety hand rails
- Chain couplings on augers
- 4 Piece auger system with true vertical
- Valve banks on left front fender
- Open top with wahpeton shur-lock tarp
- Standard 6" retriever W/doors in disc. - hydraulic turnaround
- Golden retriever W/hydraulic turn around
- Full length bag shelves
- Vacuum pick up system
- Extra auger saddle
- Front ladder
- Air-operated doors
- Bag shelf covers
- Iron paint
- Spot lights
- Drop gate
- Slide gate

